

FOXLED[®] ALL YOUR LIGHT

NOVA LUCE

OUTDOOR
COLLECTION
2023



OUTDOOR

| | | | | | | |
|-------------|-------------|-------------|---------------|-------------|------------|-------------|
| 10 . MABEL | 12 . ADURO | 14 . TIEN | 14 . MINOT | 16 . TALA | 18 . FOCUS | 20 . RAMO |
| 22 . ELLERY | 24 . PORTAL | 26 . NED | 27 . VOLVEL | 28 . SURF | 30 . PAX | 32 . ACQUA |
| 32 . BLISS | 34 . TWIN | 36 . OFIR | 38 . POET | 40 . PARK | 42 . POSEN | 42 . ENZI |
| 44 . APOLLO | 46 . SUITE | 47 . SUITE | 48 . BRIGITTA | 50 . ZELDA | 52 . ZELDA | 54 . DEVORA |
| 54 . STARK | 56 . STONE | 58 . AGOSTO | 58 . MAX | 60 . PYRO | 62 . STICK | 64 . NOTEN |
| 66 . ROCK | 68 . TALA | 70 . CETERA | 72 . ZOSIA | 74 . FERRON | 75 . LOCK | 76 . SELENA |

| | | | | | | |
|--------------|--------------|--------------|--------------|----------------|--------------|-------------|
| 78 . LOEVE | 78 . ZEST | 80 . FIGO | 82 . REGINA | 82 . SORREN | 84 . OMIKA | 86 . CARINA |
| 88 . ISIDORA | 92 . BEV | 94 . CAIRO | 96 . CASTRO | 98 . ARAN | 100 . GRANTE | 100 . BARCO |
| 102 . FOX | 104 . FUENTO | 104 . EMILE | 106 . EMILE | 107 . LIDO | 110 . VALOR | 110 . PRIM |
| 110 . TRENDO | 110 . MARTA | 112 . LOVETO | 112 . BAY | 112 . DYN | 114 . BALI | 118 . VEIRO |
| 118 . MILEY | 120 . VIDENO | 120 . ZIRI | 122 . FUNGO | 124 . ARABELLA | 124 . CHEZ | 124 . MILE |
| 126 . COMBO | 128 . BRICE | 128 . CAPO | 130 . PARRIS | 131 . DEWI | 132 . COMO | 132 . SOHO |
| 134 . ZARI | 135 . COMO | 136 . AGILE | 136 . BRIN | 138 . DARF | 139 . NUS | 140 . FOCUS |


| | | | | | | |
|---|---|---|---|---|---|---|
| 140. GRAVITY | 142 . COMO | 144 . EPIC | 146 . DEWEI | 147 . OVI | 148 . NERO | 148 . NERO |
|  |  |  |  |  |  |  |
| 150. NODUS | 151. LIMBIO | 152 . LUPO | 152 . KEEN | 153 . NOBU | 154 . LETO | 156 . ZENON |
|  |  |  |  |  |  |  |
| 156. CAPE | 157. KEEN | 158 . TUNE | 159 . DROPLET | 160 . SANTO | 160 . ZENITH | 161 . ZENITH |
|  |  |  |  |  |  |  |
| 166. FEND | 166. STAKE | 166 . KIMIKO | 168 . DESTRY | 170 . MINI | 170 . INSIDE | 172. INSIDE |
|  |  |  |  |  |  |  |
| 173. NORTH | 176 . FOCUS | 178 . CECI | 180 . CERISE | 180 . CERISE | 182. OLIVER | 182. TOMMY |
|  |  |  |  |  |  |  |
| 186. BLADE | 190 . FUMO | 190 . FABIO | 192 . SEINA | 200 . ROSE | 201 . COLT | 202 . JIGRA |
|  |  |  |  |  |  |  |
| 203 . VERHAL | 204 . FIGI | 204 . MOCHA | 205 . VENEDO | 208 . RIO | 208 . LIV | 210 . FINLO |
|  |  |  |  |  |  |  |
| 212 . LUTON | 212 . KRYPTON | 214 . BRIGI | 214 . AIZEN | 216 . JOYA | 217 . COVE | 218 . PULSAR |
|  |  |  |  |  |  |  |
| 222 . KRYPTON | 224 . CIRCE | 226 . PASSAGIO | 228 . BANG | 232 . WALL WASHER | 234 . WALL WASHER | 235 . ALP |
|  |  |  |  |  |  |  |

| | |
|----|---------------------------------|
| 01 | FLOOR & WALL p. 008 |
| 02 | CEMENT WALL & FLOOR p. 090 |
| 03 | SOLAR & SENSOR LIGHTS p. 108 |
| 04 | WALL LIGHTS p. 116 |
| 05 | SPIKES p. 162 |
| 06 | CEILING LIGHTS p. 174 |
| 07 | SPOT LIGHTS p. 184 |
| 08 | PORTABLE LIGHTS p. 188 |
| 09 | STEP LIGHTS p. 206 |
| 10 | WALL WASHER p. 230 |

FLOOR & WALL




IP54



MABEL - 9002869

Black Aluminium
& Clear Glass
LED 8.5 Watt 590Lm
3000K 220-240 Volt
Beam Angle 36° IP54
Cable Length: 64 cm
D: 7.8 W: 7.8 H: 150 cm



MABEL - 9002870

Black Aluminium
& Clear Glass
LED 17 Watt 1190Lm
3000K 220-240 Volt
Beam Angle 36° IP54
Cable Length: 35 cm
D: 48.9 W: 20.1 H: 201.2 cm






IP54



ADURO - 9002871
 Black Aluminium & Acrylic
 LED 7.6 Watt 460Lm
 3000K 200-240 Volt
 Beam Angle 78° IP54
 D: 7.5 W: 11.7 H: 35 cm



ADURO - 9002872
 Black Aluminium & Acrylic
 LED 7.6 Watt 460Lm
 3000K 200-240 Volt
 Beam Angle 78° IP54
 D: 7.5 W: 11.7 H: 65 cm






TIEN - 9002878
 Black Aluminium
 & Clear Glass
 LED 8.5 Watt 470Lm
 3000K 200-240 Volt
 Beam Angle 55° IP54
 D: 9 H: 25 cm




IP54



TIEN - 9002879
 Black Aluminium
 & Clear Glass
 LED 8.5 Watt 470Lm
 3000K 200-240 Volt
 Beam Angle 55° IP54
 D: 9 H: 65 cm



MINOT - 9026125
 Black Aluminium
 & Acrylic
 LED 12 Watt 601Lm
 3000K 100-240V
 Beam Angle 122° IP54
 L: 15 W: 9.5 H: 70 cm






IP54





TALA - 9026121
Black Aluminium
& Clear Glass
LED 9 Watt 630Lm
3000K 100-240V
Beam Angle 120° IP54
D: 9 H: 19.5 cm



TALA - 9026122
Black Aluminium
& Clear Glass
LED 9 Watt 630Lm
3000K 100-240V
Beam Angle 120° IP54
D: 9 H: 65 cm




IP54




FOCUS - 9207912

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 11.5 H: 9.5 cm



FOCUS - 9279111

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 27 cm




FOCUS - 9279112

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 55 cm







RAMO - 9291701
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP65
 Bulb Excluded
 D: 8 W: 20 H: 14.6 cm




RAMO - 9291702
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP65
 Bulb Excluded
 D: 8 W: 14.6 H: 60 cm



IP65



RAMO - 9291703
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP65
 Bulb Excluded
 D: 8 W: 21 H: 60 cm






IP65




ELLERY - 9100917

Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 60 cm





ELLERY - 9100918

Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 80 cm




ELLERY - 9100916

Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 36 cm






IP54




PORTAL - 9002840
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 30 cm




PORTAL - 9002841
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 65 cm





NED - 9104021



Dark Gray Aluminium
Glass Diffuser
LED 2x6 Watt 1150Lm
3000K 220-240 Volt 50Hz
Beam 2x38° IP54
2 Sides Light
L: 28 W: 19 H: 6 cm



Rotating

VOLVEL - 9195062

Black Die-Casting Aluminium
Acrylic Diffuser
LED 7 Watt 719Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 11 H: 6 cm




IP54



NED - 9104022

Dark Gray Aluminium
Glass Diffuser
LED 6 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam 38° IP54
L: 15 W: 6 H: 50 cm



Rotating




VOLVEL - 9195061

Black Die-Casting Aluminium
Acrylic Diffuser
LED 7 Watt 719Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 6 H: 80 cm



IP54




IP65



SURF - 9176101

Anthracite Die-Casting Aluminium
LED 8 Watt 440Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 23 cm



SURF - 9176102

Anthracite Die-Casting Aluminium
LED 8 Watt 512Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 80 cm








IP54



PAX - 9756800
Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 80 cm



PAX - 9756500
Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 50 cm






BLISS - 819502

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 16 cm



BLISS - 819503

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 50 cm



ACQUA - 713312

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 490Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 18 H: 5 cm




IP54




ACQUA - 713313

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 490Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 5 H: 80 cm







Rotating



TWIN - 713121
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 2x5 Watt 476Lm
 3000K 220-240 Volt
 Rotation 0-90° IP54
 L: 20 W: 10 H: 60 cm



Rotating



TWIN - 713122
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 2x5 Watt 476Lm
 3000K 220-240 Volt
 Rotation 0-90° IP54
 L: 20 W: 10 H: 10 cm



IP54






OFIR - 9002866

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 8 W: 7 H: 16 cm




IP54




OFIR - 9002867

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 16 W: 8 H: 50 cm




OFIR - 9002868

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 16 W: 8 H: 75 cm






IP65



POET - 9492780
 Anthracite Die-Casting Aluminium
 & Clear Glass
 LED 16 Watt 1177Lm
 3000K 220-240V
 Beam Angle 90° IP65
 L: 23.5 W: 10 H: 65 cm



POET - 9492770
 Anthracite Die-Casting Aluminium
 & Clear Glass
 LED 8 Watt 560Lm
 3000K 220-240V
 Beam Angle 94° IP65
 L: 13.5 W: 10 H: 65 cm






PARK - 711024

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 9 W: 14.5 H: 18 cm



PARK - 713124

Aluminium Dark Gray
Acrylic Diffuser
LED 2x6 Watt 1044Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 12.5 W: 22 H: 80 cm




IP54



PARK - 713123

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 12.5 W: 12 H: 80 cm








IP54




POSEN - 9131201
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 10 Watt 872.69Lm
 3000K 200-240 Volt
 Beam Angle 113° IP65
 L: 18 W: 19 H: 5 cm




ENZI - 9936101
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 15 Watt 1630Lm
 3000K 100-240 Volt
 Beam Angle 180° IP54
 D: 18 W: 18 H: 7 cm



POSEN - 9131202
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 10 Watt 795Lm
 3000K 200-240 Volt
 Beam Angle 113° IP65
 L: 18 W: 19 H: 65 cm




ENZI - 9936102
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 15 Watt 1630Lm
 3000K 100-240 Volt
 Beam Angle 180° IP54
 D: 18 W: 18 H: 80 cm






APOLLO - 713411

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 522Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 4.5 cm




APOLLO - 713311

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 522Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 80 cm




IP54






IP54




SUITE - 9207167

Dark Gray Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



SUITE - 9207168

Black Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



IP54




047



SUITE - 859439

White Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm




SUITE - 9297191

Black Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



SUITE - 859438

Dark Gray Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



IP65



BRIGITTA - 9020929
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 501Lm
 3000K 100-240V IP65
 L: 12 W: 13.7 H: 60 cm





BRIGITTA - 9020928
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 503Lm
 3000K 100-240V IP65
 L: 12 W: 8.3 H: 20.8 cm




IP65



BRIGITTA - 9020930
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 515Lm
 3000K 100-240V IP65
 L: 12 W: 15.5 H: 40 cm







BRIGITTA - 9020931
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 526Lm
 3000K 100-240V IP65
 L: 12 W: 15.5 H: 80 cm





IP65



ZELDA - 9020925
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 342Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 15 cm




ZELDA - 9020921
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 335Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 40 cm



ZELDA - 9020922
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 301Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 80 cm






ZELDA - 9020926
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571Lm
3000K 220-240V IP65
L: 12 W: 9.4 H: 15 cm



ZELDA - 9020923
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 590Lm
3000K 100-240V IP65
L: 12 W: 9.4 H: 40 cm



ZELDA - 9020924
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571Lm
3000K 100-240V IP65
L: 12 W: 9.4 H: 80 cm




IP65



IP54



DEVORA - 822642
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8.5 Watt 327.61Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 65 cm



LED IP54 WARM WHITE



DEVORA - 826423
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8.5 Watt 327.61Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 22 cm




LED IP54 WARM WHITE

IP65



STARK - 9492660
Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 8.2 Watt 116Lm
3000K 220-240V
Beam Angle 168° IP65
D: 16 H: 14.6 cm




LED IP65 WARM WHITE






STONE - 9002850

White Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm



IP54



STONE - 9002851

Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm




STONE - 9002860

Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 12 H: 65 cm






IP65



MAX - 9026002
 Dark Gray ABS
 Clear & White Acrylic
 LED 12 Watt 1307Lm
 3000K 200-240 Volt
 Beam Angle 120° IP65
 D: 16 W: 10 cm



MAX - 9026001
 Dark Gray ABS
 Clear & White Acrylic
 LED 12 Watt 1385Lm
 3000K 200-240 Volt
 Beam Angle 120° IP65
 L: 16 W: 10 H: 16 cm



AGOSTO - 9207615
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 6 Watt 420Lm 3000K
 100-240 Volt 50Hz
 Beam Angle 120° IP54
 D: 11 W: 11 cm



IP54



AGOSTO - 9277151
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 6 Watt 420Lm 3000K
 100-240 Volt 50Hz
 Beam Angle 120° IP54
 D: 11 H: 50 cm



AGOSTO - 9207616
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 6 Watt 420Lm 3000K
 100-240 Volt 50Hz
 Beam Angle 120° IP54
 L: 11 W: 11 H: 11 cm





PYRO - 9209211
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 W: 13 H: 21 cm



PYRO - 9209212
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 H: 60 cm



IP54





STICK - 713412

Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 11 H: 17 cm



STICK - 71371102

Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 25 cm



IP54



STICK - 71371101


Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 80 cm



IP65




NOTEN - 9905023
 Sandy Black Aluminium
 Clear & White Acrylic
 LED 8 Watt 937Lm 3000K
 220-240 Volt IP65
 Beam Angle 120° IP65
 D: 9 H: 20 cm



LED IP65 WARM WHITE




NOTEN - 9905022
 Sandy Black Aluminium
 Clear & White Acrylic
 LED 8 Watt 937Lm 3000K
 220-240 Volt IP65
 Beam Angle 120° IP65
 D: 9 H: 40 cm



LED IP65 WARM WHITE



NOTEN - 9905021
 Sandy Black Aluminium
 Clear & White Acrylic
 LED 8 Watt 937Lm 3000K
 220-240 Volt IP65
 Beam Angle 120° IP65
 D: 9 H: 80 cm




LED IP65 WARM WHITE




IP65



ROCK - 9905025
Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 8 Watt 937Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 43 cm



ROCK - 9905024
Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 8 Watt 937Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 83 cm








TALA - 9026123
Black Aluminium
& Acrylic
LED 12 Watt 594Lm
3000K 100-240V
Beam Angle 180° IP54
D: 13.4 H: 25 cm



TALA - 9026124
Black Aluminium
& Acrylic
LED 12 Watt 594Lm
3000K 100-240V
Beam Angle 180° IP54
D: 13.4 H: 70 cm




IP54





CETERA - 9002873

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 14.1 H: 21 cm



CETERA - 9002874

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 H: 50 cm



IP54



CETERA - 9002875

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 H: 90 cm







IP65



ZOSIA - 9060181
Dark Gray Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 12 H: 25 cm



ZOSIA - 9060182
Dark Gray Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 50 cm



ZOSIA - 9060183
Dark Gray Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 80 cm




IP65



FERRON - 9060184

Dark Grey Aluminum & Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 50 cm




FERRON - 9060185

Dark Grey Aluminum & Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 80 cm




LOCK - 813101

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 1047Lm
3000K or 4000K Beam 45°
220-240 Volt 50Hz
AC Driver Included IP54
L: 13.5 W: 16 H: 20 cm



LOCK - 813104

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 1047Lm
3000K or 4000K Beam 45°
220-240 Volt 50Hz
AC Driver Included IP54
L: 13.5 W: 13.5 H: 50 cm



IP54






IP65




SELENA - 9492720

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 10.1 H: 17.1 cm



SELENA - 9492740

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 9.8 H: 16 cm





SELENA - 9492730

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 65 cm




SELENA - 9492750

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 8.5 H: 65 cm







IP54



ZEST - 870026
 Black Die-Casting Aluminium
 Clear Glass
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 L: 18 W: 17 H: 28 cm




ZEST - 870045
 Black Die-Casting Aluminium
 Clear Glass
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 L: 20 W: 20 H: 29 cm



LOEVE - 9193101
 Anthracite Die-Casting
 Aluminium & Clear Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP65
 Bulb Excluded
 L: 14.5 W: 21.5 H: 27.6 cm

IP65




LOEVE - 9193102
 Anthracite Die-Casting
 Aluminium & Clear Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP65
 Bulb Excluded
 L: 14.5 W: 14.5 H: 22 cm






IP65




FIGO - 9492500
 Anthracite Die-Casting
 Aluminium & Clear Acrylic
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP65
 L: 14.5 W: 20.5 H: 43 cm



FIGO - 9060192
 Dark Grey Aluminum
 & Clear Glass
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP54
 L: 11 W: 15 H: 24.5 cm



IP54




FIGO - 9060193
 Dark Grey Aluminum
 & Clear Glass
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP54
 L: 11 W: 11 H: 50 cm






SORREN - 9197701

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 25.8 cm




REGINA - 9492442

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 2x12 Watt 220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 34.8 cm




SORREN - 9197702

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 2x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 22 W: 8.7 H: 22 cm




REGINA - 9492760

Anthracite Die-Casting Aluminium
Clear & Frost Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13.8 W: 10 H: 23.8 cm




REGINA - 9492710

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 15.2 W: 12.2 H: 29.5 cm




IP65






OMIKA - 9060195

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 37 cm



OMIKA - 9060197

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 88.5 cm



IP54




OMIKA - 9060196

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 97 cm



OMIKA - 9060194


Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 W: 18.5 H: 28 cm





CARINA - 9060208
Black Aluminium
LED 6 Watt 294.84Lm
3000K 220-240V IP65
D: 18 W: 21.5 H: 30 cm

LED IP65 WARM WHITE



CARINA - 9060207
Black Aluminium
LED 6 Watt 279.09 Lm
3000K 220-240V IP65
D: 18 H: 150 cm

LED IP65 WARM WHITE



CARINA - 9060213
Black Aluminium
LED 6 Watt 279.54 Lm
3000K 220-240V IP65
D: 18 W: 27 H: 90 cm

LED IP65 WARM WHITE

IP65






IP54



ISIDORA - 870426
 Black Die-Casting Aluminium
 Clear Glass
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 25 W: 27 H: 40 cm




ISIDORA - 870445
 Black Die-Casting Aluminium
 Clear Glass
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 22 H: 95 cm




CEMENT WALL & FLOOR






BEV - 9540214
 Gray Cement
 Glass Diffuser
 LED 5 Watt 200Lm
 3000K 120-230V IP65
 L: 17 W: 17 H: 20 cm



BEV - 9540215
 Gray Cement
 Glass Diffuser
 LED 5 Watt 200Lm
 3000K 120-230V IP65
 L: 20 W: 20 H: 35 cm




BEV - 9540216
 Gray Cement
 Glass Diffuser
 LED 5 Watt 200Lm
 3000K 120-230V IP65
 L: 20 W: 20 H: 70 cm




IP65



IP65




CAIRO . 9540217
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 35 cm




CAIRO . 9540218
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 65 cm






CASTRO - 9762161
 Gray Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65
 L: 16 W: 16 H: 16 cm



CASTRO - 9762162
 White Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65
 L: 16 W: 16 H: 16 cm



CASTRO - 9739351
 Gray Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65
 L: 20 W: 20 H: 35 cm



CASTRO - 9739352
 White Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65
 L: 20 W: 20 H: 35 cm



IP65





ARAN - 9540213
 Gray Cement
 Glass Diffuser
 LED 8 Watt 380Lm
 3000K 120-230V IP65
 L: 16 W: 15 H: 50 cm

LED IP65 WARM WHITE




ARAN - 9540212
 Gray Cement
 Glass Diffuser
 LED 5 Watt 200Lm
 3000K 120-230V IP65
 L: 15 W: 14 H: 70 cm

LED IP65 WARM WHITE



ARAN - 9540211
 Gray Cement
 Glass Diffuser
 LED 2x5 Watt 850Lm
 3000K 120-230V IP65
 L: 13 W: 14.5 H: 70 cm

LED IP65 WARM WHITE




IP65




GRANTE . 9790021

Gray Concrete & Aluminium
LED 5 Watt 365Lm 3000K
220-240 Volt IP65
L: 12 W: 12 H: 53 cm




GRANTE . 9790022

Gray Concrete & Aluminium
LED GU10 2x10 Watt
100-240 Volt
Bulb Excluded IP65
L: 20 W: 12 H: 60 cm



BARCO . 9540207

Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 25 cm



BARCO . 9540208

Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 60 cm





FOX . 9470582
White Sandstone
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm



FOX . 9470581
Dark Gray Sandstone
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm




IP65






FUENTO . 9790541

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm




FUENTO . 9790542

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm




FUENTO . 9790551

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm



FUENTO . 9790552

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm




IP65



EMILE . 9540209


Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
Light Down
L: 9 W: 9.7 H: 11.2 cm





EMILE . 9540210

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
D: 9 H: 11.2 cm



IP65



LIDO . 9790531

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO . 9790532

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO . 9790521

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm



LIDO . 9790522

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm




SOLAR & SENSOR LIGHTS






VALOR - 9492540

Anthracite Die-Casting Aluminium & Frost Acrylic
LED 2 Watt 104Lm
3000K 3.7 Volt
Beam Angle 86° IP65
Switch On/Off
L: 18.6 W: 7.2 H: 14 cm



PRIM - 9492510

Anthracite Die-Casting Aluminium & Clear Glass
LED 2 Watt 197Lm
3000K 3.7 Volt
Beam Angle 100° IP65
L: 18 W: 17.5 H: 3.5 cm




IP65




TRENDO - 9492520

Anthracite Die-Casting Aluminium & Clear Glass
LED 2 Watt 219Lm
3000K 3.7 Volt
Beam Angle 106° IP65
Switch On/Off
L: 12.2 W: 14.6 H: 5 cm




MARTA - 9492530


Anthracite Die-Casting Aluminium & Clear Glass
LED 1 Watt 57Lm
3000K 3.7 Volt
Beam Angle 54° IP65
Switch On/Off
L: 11.3 W: 8.9 H: 11.2 cm



Motion Sensor Activation

Max. distance 5M. Temperature less than 20°C
The lights need to be installed at least 1.5-2.5M.
from the ground.
Charging time: 7-9 hours
Lighting duration : 10-11 hours






Motion Sensor Activation
 Max. distance 5M. Temperature less than 20°C.
 The lights need to be installed at least
 1.5-2.5M from the ground.




LOVETO - 9120622

Dimmable
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 1.5 Watt 136Lm 3000K
 3.7 Volt Beam Angle 125° IP65
 Solar / Switch On/Off
 L: 14.5 W: 14.5 H: 50 cm




LOVETO - 9120621

Dimmable
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 1.5 Watt 90Lm 3000K
 3.7 Volt Beam Angle 125° IP65
 Solar / Switch On/Off
 L: 14.5 W: 16.2 H: 24 cm




BAY - 9120711

Dimmable
 Anthracite Die-Casting Aluminium
 Clear Glass & Acrylic Diffuser
 LED 1.5 Watt 82.67Lm 3000K
 3.7 Volt Beam Angle 87° IP65
 Solar / Switch On/Off
 L: 12.6 W: 8.3 H: 25.2 cm



DYN - 9190101

Dimmable
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 1.5 Watt 199.47Lm 3000K
 3.7 Volt Beam Angle 110° IP65
 Solar / Switch On/Off
 L: 16 W: 11.5 H: 6 cm



IP65






SOLAR

BALI - 9922510

Dimmable




Anthracite Die-Casting Aluminium
LED 2 Watt 399.09Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 51 cm



SOLAR

BALI - 9922360

Dimmable



Anthracite Die-Casting Aluminium
LED 2 Watt 265.39Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 36 cm




IP65

PORTABLE



SOLAR

USB CHARGER





WALL LIGHTS



IP54




IP65



VEIRO . 9104835

Anthracite Die-Casting Aluminium & Clear Glass
LED 6 Watt 62Lm 3000K
200-240 Volt IP65
Light up & Down
Beam Angle 40°
L: 9 W: 9.3 H: 20.5 cm



MILEY . 9202262

Sandy Black Aluminium Clear Glass
LED 7 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm



MILEY . 9202261

Sandy White Aluminium & Glass
LED 7 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm




MILEY . 9202131

Sandy White Aluminium & Glass
LED 4.5 Watt 304Lm 3000K
200-240 Volt IP54
Light Down
L: 8 W: 4 H: 12 cm







IP65



VIDENO - 9492590
Anthracite Die-Casting Aluminium
& Clear Glass
LED 10 Watt 302Lm
3000K 220-240V
Beam Angle 270° IP65
L: 20 W: 10.3 H: 5.5 cm



ZIRI - 9492570
Anthracite Die-Casting Aluminium
& Clear Glass
LED 10 Watt 284Lm
3000K 220-240V
Beam Angle 96° IP65
D: 18 W: 11.6 H: 4 cm



PURE - 9492560
Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 6 Watt 299Lm
3000K 220-240V
Beam Angle 103° IP65
L: 16 W: 10.2 H: 3.4 cm






FUNGO - 9027201

Dark Gray Aluminium
Glass Diffuser
LED 12 Watt 536Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down


L: 22 W: 7.6 H: 3.2 cm



FUNGO - 9027202

Sandy White Aluminium
Glass Diffuser
LED 12 Watt 536Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down


L: 22 W: 7.6 H: 3.2 cm



IP65




IP54




ARABELLA - 9026119

White Aluminium
& Clear Glass
LED 6 Watt 398Lm
3000K 100-240V
Beam Angle 50° IP54
L: 11 W: 9 H: 18 cm




CHEZ - 9259361

White Aluminium & Glass
LED 6 Watt 274Lm
3000K 100-240 Volt
Beam Angle 138° IP54
Light Up & Down
L: 13 W: 9 H: 7 cm




CHEZ - 9292211

White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 100-240 Volt
Beam Angle 90° IP54
Light Up & Down
L: 17 H: 8.5 H: 14 cm



MILE - 9257871

White Aluminium & Glass
LED 9 Watt 475Lm
3000K 100-240 Volt
Beam Angle 155° IP54
Light Up & Down
L: 18 W: 11.5 H: 7.5 cm




MILE - 9262111


White Aluminium & Glass
LED 2x5 Watt 550Lm
3000K 100-240 Volt
Beam Angle 102° IP54
Light Up & Down
L: 18 W: 3.5 H: 9 cm




IP65




FEDOR - 9492630
Anthracite Die-Casting Aluminium & Clear Glass
LED 7.7 Watt 282Lm
3000K 220-240V
Beam Angle 253° IP65
L: 15.6 W: 3.8 H: 9.7 cm
LED IP65 WARM WHITE



COMBO - 9492600
Anthracite Die-Casting Aluminium & Clear Acrylic
LED 7.5 Watt 265Lm
3000K 220-240V
Beam Angle 170° IP65
D: 16 W: 4.6 H: 15.5 cm
LED IP65 WARM WHITE



GOA - 9192171
Anthracite Die-Casting Aluminium & Clear Acrylic
LED G9 1x5 Watt
220-240 Volt
Bulb Excluded IP65
D: 7.7 W: 7.6 H: 14.4 cm
BULB EXCL. IP65




IP54




BRICE - 9136176

Black Aluminium
Glass Diffuser
LED 6 Watt 594Lm
3000K 220-240V IP54
D: 6 W: 12 H: 4 cm



BRICE - 9136177

White Aluminium
Glass Diffuser
LED 6 Watt 594Lm
3000K 220-240V IP54
D: 6 W: 12 H: 4 cm




IP65



CAPO - 9060199

Sandy Black Aluminium
& Tempered Glass Diffuser
LED 3 Watt 184.3Lm
3000K 220-240V IP65
D: 7 W: 6.4 H: 10.5 cm





9492620



9492620




IP65




PARRIS - 9492620

Anthracite Die-Casting Aluminium
& Clear Glass
LED 8.6 Watt 395Lm
3000K 220-240V
Beam Angle 101° IP65
L: 12 W: 12 H: 11.5 cm




SERIKA - 9492580

Anthracite Die-Casting Aluminium
& Clear Glass
LED 8 Watt 188Lm
3000K 220-240V
Beam Angle 222° IP65
L: 11 W: 6 H: 11 cm




ZARO - 9492650

Anthracite Die-Casting Aluminium
& Clear Glass
LED 10.4 Watt 639Lm
3000K 220-240V
Beam Angle 266° IP65
Light Up & Down
L: 9 W: 5.5 H: 10.2 cm



DEWI - 9492640

Anthracite Die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 296Lm
3000K 220-240V
Beam Angle 253° IP65
Light Up & Down
L: 11.8 W: 3.8 H: 9.7 cm



IP65



9492580



9492580



9492650



9492640

IP54



COMO - 741661

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down

L: 15 W: 7 H: 11 cm



COMO - 741662

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down


L: 15 W: 7 H: 11 cm



SOHO - 740401

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down


L: 12 W: 3 H: 9 cm



SOHO - 740404

Dark Gray Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down


L: 18.5 W: 3 H: 10 cm



SOHO - 740402

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down



L: 12 W: 3 H: 9 cm



SOHO - 740403

Sandy White Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down

L: 18.5 W: 3 H: 10 cm



IP54



ZARI - 9226217
 Sandy White Aluminium & Glass
 Cree LED 2x2 Watt 285Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 2x38° IP54
 L: 5.5 W: 6.5 H: 6.5 cm
 Light in 2 directions



COMO - 726217
 Sandy White Aluminium & Glass
 LED 2x5 Watt 560Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 2x51° IP54
 D: 11 W: 8.5 cm
 Light in 2 directions



ZARI - 9226216
 Sandy Black Aluminium & Glass
 Cree LED 2x2 Watt 285Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 2x38° IP54
 L: 5.5 W: 6.5 H: 6.5 cm
 Light in 2 directions



COMO - 852436
 Sandy White Aluminium & Glass
 LED 4x1 Watt 265Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 4x51° IP54
 D: 11 W: 8.5 cm
 Light in 4 directions




ZARI - 9226215
 Sandy White Aluminium & Glass
 Osram LED 4x1 Watt 265Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 4x38° IP54
 L: 5.5 W: 6.5 H: 6.5 cm
 Light in 4 directions



ZARI - 9226214
 Sandy Black Aluminium & Glass
 Osram LED 4x1 Watt 265Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 4x38° IP54
 L: 5.5 W: 6.5 H: 6.5 cm
 Light in 4 directions



IP54



IP54

Adjustable



AGILE - 833426

Dark Gray Die-Casting Aluminium
LED 13 Watt 480Lm
3000K 220-240 Volt 50Hz
Adjustable Beam Max 120° IP54
D: 15 W: 11.7 H: 15 cm




IP65

Rotating



BRIN - 9160101

Anthracite Die-Casting Aluminium
Clear Glass
LED 9.5 Watt 340.76Lm
3000K 200-240 Volt
Beam Angle 101° IP65
L: 14 W: 14.5 H: 3.5 cm








IP65



DARF - 9925666
 Sandy Black Aluminium
 ABS Diffuser
 LED 2x5 Watt 840Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 115° IP65
 Light Up & Down
 D: 9.5 W: 10.5 H: 13 cm




DARF - 9925665
 Sandy Black Aluminium
 ABS Diffuser
 LED 5 Watt 420Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 104° IP65
 Light Down
 D: 9.5 W: 10.5 H: 8.5 cm




IP54




NUS - 9200201
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 4 Watt 400.33Lm
 3000K 100-240 Volt
 Beam Angle 120° IP54
 Light Down
 L: 13.2 W: 9 H: 6.9 cm



NUS - 9200202
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 2x4 Watt 943Lm
 3000K 100-240 Volt
 Beam Angle 120° IP54
 Light Up & Down
 L: 13.2 W: 9 H: 7.8 cm



IP65



VITORIA - 8401030

Dark Gray Aluminium
LED 5 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
AC Driver Included
L: 6.2 W: 12 H: 23.6 cm




Rotating



FOCUS - 752470

Dark Gray Aluminium & Glass
Osram LED 6 Watt 420Lm
3000K 220-240 Volt 50Hz
Beam Angle 44° IP54
L: 8.5 W: 14 H: 12 cm



Rotating



IP54

GRAVITY - 810067

Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 12.5 Watt 591.13Lm
3000K 220-240 Volt 50Hz
Rotation IP54
D: 14 W: 4.8 H: 14 cm



Rotating




PIER - 810066

Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 13 Watt 723.32Lm
3000K 220-240 Volt 50Hz
Rotation IP54
L: 14 W: 4.8 H: 14 cm





IP54



Adjustable
Beam Angle



COMO - 747406
Sandy White Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable
Beam Angle



COMO - 847406
Antique Brown Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable
Beam Angle



COMO - 847408
Black Aluminium
LED 2x3 Watt 510Lm 3000K
220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm




Adjustable
Beam Angle




COMO - 847407
Dark Gray Aluminium
LED 2x3 Watt 510Lm 3000K
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



IP54




Adjustable Beam Angle



EPIC - 9136174
Black Aluminium
LED 2x10 Watt 1950Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 15 W: 15 H: 15 cm



Adjustable Beam Angle



EPIC - 9136175
White Aluminium
LED 2x10 Watt 1950Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 15 W: 15 H: 15 cm






IP54




AZAR - 9026116

Black Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm




DEWEI - 9026117

Black Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm



DEWEI - 9026118

White Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm




IP54



OVI - 9136182

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded Light Down
D: 10 W: 11 H: 9 cm







NERO - 710022
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 7 W: 8 H: 15 cm




NERO - 710021
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 7 W: 8 H: 8 cm



NERO - 710042
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 L: 6.7 W: 8 H: 15 cm



NERO - 710041
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 L: 6.7 W: 8 H: 8 cm




IP54




NERO - 910022
 Aluminium White
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 7 W: 8 H: 15 cm




NERO - 910021
 Aluminium White
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 7 W: 8 H: 8 cm



NERO - 910042
 Aluminium White
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 L: 6.7 W: 8 H: 15 cm



NERO - 910041
 Aluminium White
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 L: 6.7 W: 8 H: 8 cm








IP54



LIMBIO - 9010601
 White ABS
 Glass Diffuser
 LED GU10 1x7 Watt
 Bulb Excluded IP44
 Light Down
 D: 6 W: 8.5 H: 12 cm




LIMBIO - 9010602
 Black ABS
 Glass Diffuser
 LED GU10 1x7 Watt
 Bulb Excluded IP44
 Light Down
 D: 6 W: 8.5 H: 12 cm




IP44




NODUS - 773221
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 6.5 W: 10.4 H: 11 cm




NODUS - 773223
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 6.5 W: 10.4 H: 18 cm




NODUS - 773222
 Antique Brown Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 6.5 W: 10.4 H: 11 cm




NODUS - 773224
 Antique Brown Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 6.5 W: 10.4 H: 18 cm



LIMBIO - 9010622
 Black ABS
 Glass Diffuser
 LED GU10 2x7 Watt
 Bulb Excluded IP44
 Light Up & Down
 D: 8 W: 8.5 H: 16 cm



LIMBIO - 9010621
 White Acrylic
 Glass Diffuser
 LED GU10 2x7 Watt
 Bulb Excluded IP44
 Light Up & Down
 D: 8 W: 8.5 H: 16 cm




IP65



LUPO - 9926617

Black Aluminium
Acrylic Diffuser
LED 10 Watt 380Lm
3000K 220-240 Volt 50Hz
Beam Angle 64° IP65
L: 11 W: 8.5 H: 25 cm




NOBU - 9060206

Sandy Black Aluminium
& Tempered Glass Diffuser
Silicone Gasket
LED 15 Watt 496.9Lm
3000K 220-240V IP65
L: 19.3 W: 4.7 H: 12.7 cm



KEEN - 9160081


Dark Gray Aluminium
Acrylic Diffuser
LED 12 Watt 936Lm
3000K 220-240 Volt 50Hz
Beam Angle 75° IP65
L: 22.5 W: 6.5 H: 9.5 cm






LETO - 9060203

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm




LETO - 9060204

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 29 W: 14.5 H: 10.2 cm



LETO - 9060205


Sandy Black Aluminium
Acrylic Diffuser
LED 10 Watt 1208Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 17.5 cm



IP65


LETO - 9060202

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm






KEEN - 9270027
 Sandy Black Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 18 W: 9 H: 9 cm




KEEN - 9270028
 Sandy White Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 18 W: 9 H: 9 cm




IP65



ZENON - 9492610
 Anthracite Die-Casting
 Aluminium & Frost Acrylic
 LED 10 Watt 558Lm
 3000K 220-240V
 Beam Angle 114° IP65
 L: 18 W: 7.5 H: 9 cm




CAPE - 9492550
 Anthracite Die-Casting Aluminium
 Frost Acrylic & Clear Glass
 LED 10 Watt 763Lm
 3000K 220-240V
 Beam Angle 112° IP65
 L: 20 W: 7.4 H: 20 cm



IP65



KEEN - 9270015
 Sandy Black Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 9 W: 7 H: 18 cm



KEEN - 9270016
 Sandy White Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 9 W: 7 H: 18 cm





IP65



DROPLET - 9522101

Sandy White Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



DROPLET - 9522102

Sandy Black Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



IP65



TUNE - 9529712

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



TUNE - 9529713

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



TUNE - 9529720

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm




TUNE - 9529721

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm







ZENITH - 9020933
 Dark Gray Stainless Aluminium
 Anti-Glare Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 30.3 W: 9 H: 10 cm




ZENITH - 9020932
 Dark Gray Stainless Aluminium
 Anti-Glare Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 30.3 W: 9 H: 10 cm



ZENITH - 713212
 Dark Gray Aluminium
 White Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 23 W: 9.5 H: 26.4 cm




ZENITH - 713514
 Dark Gray Aluminium
 White Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 23 W: 9.5 H: 26.4 cm




IP44




ZENITH - 713115
 White Aluminium
 White Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 30.5 W: 9 H: 10.5 cm



ZENITH - 713114
 Antique Brown Aluminium
 White Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 30.5 W: 9 H: 10.5 cm



ZENITH - 713113
 Dark Gray Aluminium
 White Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 30.5 W: 9 H: 10.5 cm



IP44






SPIKES

IP65




Rotating & Adjustable



FEND - 9271431
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm



Rotating & Adjustable



FEND - 9271491
Black Aluminium & Glass
LED 10 Watt 883.4Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm




Rotating & Adjustable



FEND - 9271433
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 9 H: 64 cm




Rotating & Adjustable



FEND - 9971451
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm



Rotating & Adjustable



FEND - 9971452
Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm




IP65



STAKE . 9271432

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 5 W: 9 H: 33 cm




STAKE . 9271492

Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 11 H: 35 cm



STAKE . 9971455

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 5 W: 7 H: 45 cm




IP54




KIMIKO . 9026126

Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 H: 12.5 cm



KIMIKO . 9026127


Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 W: 12.5 H: 21 cm



IP65




Rotating & Adjustable



VIDA - 9026128
Black Aluminium & Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP65
D: 7 W: 9.5 H: 21 cm




Rotating & Adjustable




CALIX - 9172870
Black Aluminium & Clear Glass
LED 3W Watt 273Lm
3000K 220-240 Volt
Beam Angle 24° IP65
D: 40 W: 7.3 H: 22.5 cm



IP54




Rotating & Adjustable




DESTRY - 9136184
Black Aluminium & Clear Glass
Honeycomb Antiglare Diffuser
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 5.5 W: 9.5 H: 11.5 cm



Rotating & Adjustable



DESTRY - 9136183
Black Aluminium & Clear Glass
Honeycomb Antiglare Diffuser
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 5.5 W: 9.5 H: 30 cm





Adjustable

INSIDE - 9010001


Sandy Black Aluminium & Glass
LED 3 Watt 295.06Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.5 W: 9 H: 21-26 cm



Adjustable

INSIDE - 9010003

Sandy Black Aluminium & Glass
LED 3 Watt 303.24Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 21-24 cm



Adjustable

INSIDE - 9010002


Sandy Black Aluminium & Glass
LED 7 Watt 578.7Lm 3000K
220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 13 H: 24-31 cm



Adjustable

INSIDE - 9010005

Sandy Black Aluminium & Glass
LED 7 Watt 578.7Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 10 H: 24-28 cm



IP65



BASE - 9010006



Sandy Black Aluminium
D: 5.5 W: 5.5 H: 4 cm
Combine with 9010002 & 9010005



Adjustable

MINI - 9010004

Sandy Black Aluminium & Glass
LED 3 Watt 303.24Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 5.5-8 cm





IP54



Adjustable



NORTH - 9240677
 Black Aluminium & Glass
 LED 10 Watt 700Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 38° IP65
 D: 9 W: 9.5 cm



Adjustable



NORTH - 9240678
 Black Aluminium & Glass
 LED 20 Watt 1500Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 38° IP65
 D: 12 W: 18 cm



Adjustable



NORTH - 9240679
 Black Aluminium & Glass
 LED 30 Watt 2800Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 38° IP65
 D: 15 W: 20.5 cm



Adjustable



NORTH - 742071
 Aluminium Dark Gray & Glass
 LED 18 Watt 1440Lm 3000K
 100-240 Volt 50Hz
 Beam Angle 48° IP65
 W: 19.5 L: 13 H: 20-29 cm



IP65



Adjustable



INSIDE - 767801
 Dark Gray Aluminium & Glass
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 11 H: 20 cm



Adjustable



INSIDE - 875409
 Dark Gray Aluminium & Glass
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 7.5 W: 15 H: 36 cm





CEILING LIGHTS

IP54



DARA - 9136178

Black Aluminium
Glass Diffuser
LED 9 Watt 579Lm
3000K 100-240 Volt 50Hz
Beam Angle 120° IP54
D: 8 H: 11 cm



DARA - 9136179

White Aluminium
Glass Diffuser
LED 9 Watt 579Lm
3000K 100-240 Volt 50Hz
Beam Angle 120° IP54
D: 8 H: 11 cm



FOCUS - 752461

Sandy Black Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm



FOCUS - 752463

Dark Grey Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm



FOCUS - 752462

Sandy White Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm





IP65



CECI - 9220021

Sandy White Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



CECI - 9200612

Sandy White Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



CECI - 9220022

Sandy Black Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



CECI - 9200611

Sandy Black Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



IP54



CERISE - 9020021
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 6 H: 10.5 cm



CERISE - 9040021
 White Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 6 H: 10.5 cm



CERISE - 9020061
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 9 H: 9 cm



CERISE - 9040061
 White Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 9 H: 9 cm



CERISE - 9020022
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 L: 8.6 W: 8.6 H: 9 cm




CERISE - 9040022
 White Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 L: 8.6 W: 8.6 H: 9 cm



IP65





OLIVER - 9944603
Sandy Black Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm




OLIVER - 9944602
Sandy White Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



IP54



TOMMY - 9521001
Dark Gray ABS & Acrylic Diffuser
LED 25 Watt 3728Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
D: 32 H: 6 cm



TOMMY - 9521002
Dark Gray ABS & Acrylic Diffuser
LED 21 Watt 2391Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
L: 28 W: 28 H: 6 cm






SPOT LIGHTS




BLADE . 9232116

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE . 9232115

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE . 9232119


White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



BLADE . 9232120


Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm




Rotating 

BLADE . 9232117

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



Rotating 

BLADE . 9232118

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



IP65






PORTABLE LIGHTS

Charging time: 7-10hrs

- Touch 1: 100% of light - 4hrs
- Touch 2: 40% of light - 10 hrs
- Touch 3: 10% of light - 50 hrs


IP54



FUMO - 9002863

Dimmable

White Aluminium & Acrylic
LED 2 Watt 230Lm
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 H: 30 cm




FUMO - 9002864

Dimmable

Black Aluminium & Acrylic
LED 2 Watt 230Lm 3000K
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 H: 30 cm



USB CHARGER



FABIO - 9492441

Dimmable

Black Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 280Lm
3000K DC 5 Volt
Beam Angle 83° IP54
Switch On/Off / USB Wire
D: 19 H: 38 cm



Charging time: 4.5hrs
 • Touch 1: 100% of light - 10hrs
 • Touch 2: 50% of light - 20 hrs



IP54


TWO DIFFERENT TYPES OF CHARGING



PG RECHARGING BASE




USB TYPE C



SEINA - 9223406

Dimmable
 Sandy Black Aluminium & Acrylic
 LED 2 Watt 192Lm
 2700K DC 5 Volt IP54
 Switch On/Off
 Rechargeable with PG base or White USB Type C Wire
 D: 11.4 H: 39.5 cm



SEINA - 9223407

Dimmable
 Sandy White Aluminium & Acrylic
 LED 2 Watt 192Lm
 2700K DC 5 Volt IP54
 Switch On/Off
 Rechargeable with PG base or White USB Type C Wire
 D: 11.4 H: 39.5 cm



BASE - 9223408

Sandy Black Aluminium
 PG Recharging Base Compatible with codes 9223406 & 9223407




ADAPTOR - 9223409

Black adaptor 5V 2A



ADAPTOR - 9223410

White adaptor 5V 2A




Charging time: 4.5hrs
 • Touch 1: 100% of light - 10hrs
 • Touch 2: 50% of light - 20 hrs




SEINA - 9223403

Dimmable
 Sandy Brown Aluminium & Acrylic
 LED 2 Watt 192Lm
 2700K DC 5 Volt IP54
 Switch On/Off/ USB Type C Wire
 Rechargeable with PG base
 D: 11.4 H: 39.5 cm




SEINA - 9223405

Dimmable
 Sandy Olive Green Aluminium & Acrylic
 LED 2 Watt 192Lm
 2700K DC 5 Volt IP54
 Switch On/Off/ USB Type C Wire
 Rechargeable with PG base
 D: 11.4 H: 39.5 cm



SEINA - 9223404

Dimmable
 Sandy Balsalt Grey Aluminium & Acrylic
 LED 2 Watt 192Lm
 2700K DC 5 Volt IP54
 Switch On/Off / USB Type C Wire
 Rechargeable with PG base
 D: 11.4 H: 39.5 cm



IP54






IP54 PORTABLE

Charging time: 7-8hrs
 • Touch 1: 100% of light - 8-9hrs
 • Touch 2: 5% of light - 280 hrs




COLT - 9223412

Dimmable
 Sandy Rust Brown Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 8 H: 30 cm




COLT - 9223414

Dimmable
 Sandy Olive Green Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 8 H: 30 cm



COLT - 9223413

Dimmable
 Sandy Dark Grey Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 8 H: 30 cm



ADAPTOR - 9223409

Black adaptor 5V 2A




ADAPTOR - 9223410

White adaptor 5V 2A





COLT - 9223415

Dimmable
 Sandy White Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 8 H: 30 cm



COLT - 9223411

Dimmable
 Sandy Black Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 8 H: 30 cm





IP54 PORTABLE 

Charging time: 7-8hrs
 • Touch 1: 100% of light - 8-9hrs
 • Touch 2: 5% of light - 280 hrs



COLT - 9223999
 Dimmable
 Sandy Rust Brown Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm




COLT - 9223998
 Dimmable
 Sandy Olive Green Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm




COLT - 9223997
 Dimmable
 Sandy Dark Grey Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm



COLT - 9121911
 Dimmable
 Sandy White Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm



COLT - 9121912
 Dimmable
 Sandy Black Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm



ADAPTOR - 9223409
 Black adaptor 5V 2A



ADAPTOR - 9223410
 White adaptor 5V 2A





USB
CHARGER

Charging time: 4-5hrs
 • Touch 1: 100% of light - 7-8hrs
 • Touch 2: 5% of light - 280 hrs

IP54



ROSE - 9281380

White Aluminium
 & Acrylic
 LED 2 Watt 207Lm
 3000K DC 5 Volt IP54
 Switch On/Off / USB Wire
 D: 11.5 W: 11.8 H: 32 cm



COLT - 9223400

Dimmable
 Sandy Black Die-Casting
 Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm



ROSE - 9281381

Black Aluminium
 & Acrylic
 LED 2 Watt 207Lm
 3000K DC 5 Volt IP54
 Switch On/Off / USB Wire
 D: 11.5 W: 11.8 H: 32 cm




COLT - 9223401

Dimmable
 Sandy White Die-Casting
 Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm

Charging time: 7-8hrs
 • Touch 1: 100% of light - 8-9hrs
 • Touch 2: 5% of light - 280 hrs





Charging time: 7-10hrs

- Touch 1: 100% of light - 4hrs
- Touch 2: 40% of light - 10 hrs
- Touch 3: 10% of light - 50 hrs




VERHAL - 9002862

Dimmable
 Black Aluminium
 & Clear Glass
 LED 2 Watt 200Lm
 3000K 3.7 Volt
 Beam Angle 360° IP54
 Solar / USB Wire / Switch On/Off
 L: 16 W: 16 H: 47.5 cm




VERHAL - 9002861

Dimmable
 White Aluminium
 & Clear Glass
 LED 2 Watt 200Lm
 3000K 3.7 Volt
 Beam Angle 360° IP54
 Solar / USB Wire / Switch On/Off
 L: 16 W: 16 H: 47.5 cm




JIGRA - 9002876

Dimmable
 Black Aluminium
 & Acrylic
 LED 2 Watt 200Lm
 3000K 3.7 Volt
 Beam Angle 306° IP54
 Switch On/Off / USB Wire
 D: 16 W: 16 H: 22.8 cm




JIGRA - 9002877

Dimmable
 Black Aluminium
 & Acrylic
 LED 2 Watt 210Lm
 3000K 3.7 Volt
 Beam Angle 339° IP54
 Switch On/Off / USB Wire
 D: 16 W: 16 H: 22 cm




IP54 **PORTABLE**  **SOLAR** 




IP65 PORTABLE 



FIGI - 9923500
 Dimmable
 Anthracite Die-Casting
 Aluminium
 LED 2 Watt 271.41Lm
 3000K DC 5 Volt
 Beam Angle 108° IP65
 Touch Lamp / Battery / USB Wire
 L: 14.5 W: 14.5 H: 50 cm




FIGI - 9922350
 Dimmable
 Anthracite Die-Casting
 Aluminium
 LED 2 Watt 207Lm
 3000K DC 5 Volt
 Beam Angle 108° IP65
 Touch Lamp / Battery / USB Wire
 L: 14.5 W: 14.5 H: 35 cm




Charging time: 3hrs

- Touch 1: 100% of light - 4hrs
- Touch 2: 40% of light - 10 hrs
- Touch 3: 10% of light - 50 hrs



VENEDO - 9002865
 Dimmable
 Black Aluminium
 & Acrylic
 LED 2 Watt 180 Lm
 3.7 Volt 3000K IP54
 D: 10.2 W: 10.2 H: 15 cm



 USB CHARGER


 USB CHARGER




IP54



MOCHA - 9492700
 Anthracite Die-Casting Aluminium
 & Clear Glass
 LED 2 Watt 191Lm
 3000K DC 5 Volt
 Beam Angle 96° IP54
 D: 15 W: 15 H: 35 cm



IP54





STEP LIGHTS



LIV - 9018062

Dark Gray Die-Casting Aluminium & Glass Diffuser
 LED 3.5 Watt 245.3Lm
 3000K 200-240 Volt
 Beam Angle 120° IP54
 L: 13 W: 3 H: 5.5 cm




LIV - 9018061

White Die-Casting Aluminium & Glass Diffuser
 LED 3.5 Watt 245.3Lm
 3000K 200-240 Volt
 Beam Angle 120° IP54
 L: 13 W: 3 H: 5.5 cm




VISION - 9492690

Anthracite Die-Casting Aluminium & Clear Acrylic
 LED 1.5 Watt 34Lm
 3000K 220-240V
 Beam Angle 50° IP54
 L: 10 W: 2.9 H: 6.7 cm



RIO - 9492670

Anthracite Die-Casting Aluminium & Clear Glass
 LED 6 Watt 122.31Lm
 3000K 220-240V
 Beam Angle 266° IP65
 L: 22.7 W: 3.5 H: 12.7 cm



IP54




FINLO - 9117080
 Grey Concrete IP65
 L: 10 W: 1.7 H: 10 cm



FINLO - 9117086
 Grey Concrete IP65
 L: 10 W: 1.7 H: 10 cm



FINLO - 9117084
 Grey Concrete IP65
 L: 10 W: 1.7 H: 10 cm




SOURCE - 9117082

Grey Aluminium
 LED 3.5 Watt 111.65Lm
 3000K 220-240V IP65
 HEP DRIVER
 Compatible with: 9117080,
 9117084, 9117086
 L: 6.5 W: 6.7 H: 3.9 cm



IP65




IP54




KRYPTON - 710446
Dark Gray Aluminium & Glass
LED 6 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam Angle 31° IP54
D: 16 W: 9.6 cm



KRYPTON - 726408
Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8.5 W: 5 H: 8.5 cm




KRYPTON - 752250
Dark Gray Aluminium
LED 6 Watt 751Lm
3000K 220-240 Volt 50Hz
Beam Angle 32° IP54
L: 15 W: 7.5 H: 15 cm




IP65




LUTON - 8403624
Dark Gray ABS
LED 1.2 Watt
145Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 12.5 cm



LUTON - 8403622
Dark Gray ABS
LED 1.6 Watt
212Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 23 W: 3.3 H: 8 cm



LUTON - 8403626
Dark Gray ABS
LED 1.2 Watt
150Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 8.3 cm






IP65




BRIGI - 9020927

Dark Grey Acrylic Cover & Diffuser
 LED 1.2 Watt 158.99Lm
 3000K 220-240V IP65
 D: 11 W: 3.1 H: 11 cm




ARNE - 9492680

Anthracite Die-Casting Aluminium & Clear Acrylic
 LED 1.5 Watt 39Lm
 3000K 220-240V
 Beam Angle 50° IP54
 D: 12 W: 2.9 H: 12 cm



AIZEN - 9026120

White Aluminium & Clear Glass
 LED 3 Watt 16Lm 3000K
 600mA 100-240V
 Beam Angle 148° IP54
 Cut Out: L: 12.6 W: 4.2 H: 6 cm
 L: 13.5 W: 5 H: 6.5 cm
 Junction Box Included



IP54





JOYA - 9944141

Sandy Black Aluminium
LED 3 Watt 16.3Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm





JOYA - 9944142

Sandy Black Aluminium
LED 3 Watt 23.3Lm
3000K 100-240 Volt 50Hz
Beam Angle 19° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm



COVE - 9083011


Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 118.5Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 14 W: 3.8 H: 7.7 cm
Junction Box Not Included
Cut Out: L: 13.2 W: 5 H: 7.4 cm



IP54




IP65



COVE - 9083021

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 118.5Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 7.7 W: 3.8 H: 14 cm
Junction Box Not Included
Cut Out: L: 7.4 W: 5 H: 13.2 cm






IP54




PULSAR - 812302

Dark Gray ABS
LED 4 Watt 526.7Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 14 W: 3 H: 14 cm




PULSAR - 811201

Dark Gray ABS
LED 2 Watt 268.9Lm
3000K 220-220 Volt 50Hz
Beam Angle 29° IP54
AC Driver Included
L: 12 W: 3 H: 12 cm




PULSAR - 812102

Dark Gray ABS
LED 4 Watt 461.9Lm
3000K 220-220 Volt 50Hz
Beam Angle 38° IP54
AC Driver Included
L: 23 W: 3 H: 10 cm




PULSAR - 811502

Dark Gray ABS
LED 2 Watt 365.14Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR - 811501

Dark Gray ABS
Acrylic Diffuser
LED 4 Watt 557Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 62° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR - 812104

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 48° IP54
AC Driver Included
L: 23 W: 10 H: 6.7 cm



PULSAR - 812103

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 683Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 67° IP54
AC Driver Included
L: 23 W: 10 H: 6.5 cm



IP54



IP54



KRYPTON - 726407

Dark Gray Aluminium
LED 3 Watt 95.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 27° IP54
D: 8 W: 5.5 cm
Cut Out: D: 7.7 x W: 5.3 cm



KRYPTON - 727002

Dark Gray Aluminium
LED 3 Watt 132Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm




KRYPTON - 727001

White Aluminium
LED 3 Watt 132Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm





KRYPTON - 726402

White Aluminium
LED 3 Watt 352.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



KRYPTON - 726401

Dark Gray Aluminium
LED 3 Watt 352.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm






IP54




KRYPTON - 726405

White Aluminium
LED 3 Watt 202Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm




KRYPTON - 726406

Dark Gray Aluminium
LED 3 Watt 202Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm




KRYPTON - 726403

White Aluminium
LED 2 Watt 95Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



KRYPTON - 726404

Dark Gray Aluminium
LED 2 Watt 95Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



IP54



IP54



CIRCE - 9136185

Black Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE - 9136186

White Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE - 9136187

Black Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE - 9136188

White Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm





PASSAGIO - 8090801

White Aluminium
LED 1 Watt 18.09Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9045418

Black Aluminium
LED 1 Watt 18.09Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9045514

White Aluminium
LED 1 Watt 32.76Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 8058001

White Aluminium
LED 1 Watt 41.36Lm 3000K
3 Volt 50Hz IP54
L: 3.9 W: 2.2 H: 3.9 cm
Cut Out: 3.4 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9031616

White Aluminium
LED 1 Watt 69.7Lm 3000K
3 Volt 50Hz IP54
D: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170




PASSAGIO - 9002601

White Aluminium
LED Chip Cree 2 Watt 40.45Lm
100-240 Volt 50Hz 3000K
Beam 49° IP54
D: 5 W: 5 H: 5 cm
Cut Out: 4.5 cm
Driver Included



IP54





BANG - 9019212
 Satin Nickel Aluminium
 LED 1 Watt 104.8Lm 3000K
 3 Volt 50Hz IP67
 D: 3.7 H: 5.3 cm
 Cut Out: 3.2 cm
 Cable Length 1.80m
 Connect it with driver 9020170



BANG - 9019213
 Satin Nickel Aluminium
 LED 1 Watt 98.24Lm 3000K
 3 Volt 50Hz IP67
 D: 3.7 H: 5.3 cm
 Cut Out: 3.2 cm
 Cable Length 1.80m
 Connect it with driver 9020170



BANG - 9203113
 Satin Nickel Aluminium
 LED 1 Watt 60Lm 3000K IP67
 100-240 Volt 50Hz
 Beam 42° Driver Included
 D: 4.2 H: 7 cm
 Cut Out: 3.7 cm



BANG - 9203111
 Satin Nickel Aluminium
 LED 1 Watt 60Lm 3000K IP67
 100-240 Volt 50Hz
 Beam 42° Driver Included
 D: 4.2 H: 9 cm
 Cut Out: 3.7 cm



BANG - 9203112
 Satin Nickel Aluminium
 LED 1 Watt 60Lm 3000K IP67
 100-240 Volt 50Hz
 Beam 51° Driver Included
 D: 4.2 H: 9 cm
 Cut Out: 3.7 cm



BANG - 8038801
 White Aluminium
 LED 1 Watt 19Lm
 3 Volt 50Hz
 3000K IP67
 D: 3.7 H: 5.3 cm
 Cut Out: 3.2 cm



BANG - 8038401
 White Aluminium
 LED 1 Watt 104.8Lm
 3 Volt 50Hz
 3000K IP67
 D: 3.7 H: 5.3 cm
 Cut Out: 3.2 cm



BANG - 8039001
 White Aluminium
 LED 1 Watt 11.4Lm
 3 Volt 50Hz
 3000K IP67
 D: 3.7 H: 5.3 cm
 Cut Out: 3.2 cm

CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170



DRIVER - 9020170
 Driver 4W ACTEC MINI IP65
 Input: 100-240V AC 50/60Hz
 Output: 3-12 VDC
 350mA Not Dimmable






WALL WASHER

Rotation 30°



WALL WASHER - 9011161

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 32 Watt 3387.5Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt




Rotation 30°



WALL WASHER - 9011162

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 44 Watt 4222.3Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt




Rotation 30°



WALL WASHER - 9011164

Wall Washer RGB
Sandy Black Aluminium & Glass
LED Chip Epistar 36 Watt 3420Lm
DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 5.5 H: 12 cm
Max Power 300 Watt



RGB



CONTROLLER - 9011101


DMX CONTROLLER
Used to Control Max 1000 pcs




IP67 WATERPROOF




INSTALLATION





CONNECTION: 9011161 - 9011162



CONNECTION: 9011164



INSTALLATION




WALL WASHER - 9011102

Wall Washer
Satin Nickel Aluminium & Glass
LED Chip Philips 15 Watt
746Lm 3000K DC24V
Beam Angle 30° IP67
L: 100 W: 2.5 H: 3.5 cm



IP67 WATERPROOF / ULTRA THIN



IP65 WATERPROOF / ULTRA NARROW / 7°

ALP - 9010009

Sandy Black Aluminium & Glass
LED Chip Cree 2x10 Watt 1857Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 17 cm



ALP - 9010008

Sandy Black Aluminium & Glass
LED Chip Cree 10 Watt 565Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 10 cm



INSTALLATION



| code | page | code | page | code | page | code | page | code | page |
|--------|------|---------|------|---------|------|---------|------|---------|------|
| 710021 | 148 | 773222 | 150 | 9002850 | 56 | 9020061 | 180 | 9060195 | 84 |
| 710022 | 148 | 773223 | 150 | 9002851 | 56 | 9020170 | 228 | 9060196 | 84 |
| 710041 | 148 | 773224 | 150 | 9002860 | 56 | 9020921 | 50 | 9060197 | 84 |
| 710042 | 148 | 810066 | 140 | 9002861 | 203 | 9020922 | 50 | 9060199 | 128 |
| 710446 | 212 | 810067 | 140 | 9002862 | 203 | 9020923 | 52 | 9060202 | 154 |
| 711024 | 40 | 811201 | 219 | 9002863 | 190 | 9020924 | 52 | 9060203 | 154 |
| 713113 | 160 | 811501 | 218 | 9002864 | 190 | 9020925 | 50 | 9060204 | 154 |
| 713114 | 160 | 811502 | 219 | 9002865 | 205 | 9020926 | 52 | 9060205 | 154 |
| 713115 | 160 | 812102 | 219 | 9002866 | 36 | 9020927 | 214 | 9060206 | 153 |
| 713121 | 34 | 812103 | 218 | 9002867 | 36 | 9020928 | 49 | 9060207 | 86 |
| 713122 | 34 | 812104 | 218 | 9002868 | 36 | 9020929 | 48 | 9060208 | 86 |
| 713123 | 34 | 812302 | 219 | 9002869 | 10 | 9020930 | 48 | 9060213 | 86 |
| 713124 | 40 | 813101 | 75 | 9002870 | 11 | 9020931 | 49 | 9083011 | 217 |
| 713212 | 161 | 813104 | 75 | 9002871 | 12 | 9020932 | 160 | 9083021 | 217 |
| 713311 | 44 | 819502 | 32 | 9002872 | 12 | 9020933 | 160 | 9100916 | 22 |
| 713312 | 32 | 819503 | 32 | 9002873 | 70 | 9026001 | 59 | 9100917 | 22 |
| 713313 | 32 | 822642 | 54 | 9002874 | 70 | 9026002 | 59 | 9100918 | 22 |
| 713411 | 44 | 826423 | 54 | 9002875 | 70 | 9026116 | 146 | 9104021 | 26 |
| 713412 | 62 | 833426 | 136 | 9002876 | 202 | 9026117 | 146 | 9104022 | 26 |
| 713514 | 161 | 847406 | 142 | 9002877 | 202 | 9026118 | 146 | 9104835 | 118 |
| 726217 | 135 | 847407 | 142 | 9002878 | 14 | 9026119 | 124 | 9117080 | 210 |
| 726401 | 220 | 847408 | 142 | 9002879 | 14 | 9026120 | 214 | 9117082 | 210 |
| 726402 | 220 | 852436 | 135 | 9010001 | 170 | 9026121 | 16 | 9117084 | 210 |
| 726403 | 222 | 859438 | 46 | 9010002 | 170 | 9026122 | 16 | 9117086 | 210 |
| 726404 | 222 | 859439 | 46 | 9010003 | 170 | 9026123 | 68 | 9120621 | 112 |
| 726405 | 223 | 870026 | 78 | 9010004 | 170 | 9026124 | 68 | 9120622 | 112 |
| 726406 | 223 | 870045 | 78 | 9010005 | 170 | 9026125 | 14 | 9120711 | 112 |
| 726407 | 220 | 870426 | 88 | 9010006 | 170 | 9026126 | 166 | 9121911 | 198 |
| 726408 | 212 | 870445 | 88 | 9010008 | 235 | 9026127 | 166 | 9131201 | 42 |
| 727001 | 220 | 875409 | 172 | 9010009 | 235 | 9026128 | 168 | 9131202 | 42 |
| 727002 | 220 | 910021 | 148 | 9010601 | 151 | 9027201 | 122 | 9136174 | 144 |
| 740401 | 132 | 910022 | 148 | 9010602 | 151 | 9027202 | 122 | 9136175 | 144 |
| 740402 | 132 | 910041 | 148 | 9010621 | 151 | 9031616 | 226 | 9136176 | 128 |
| 740403 | 132 | 910042 | 148 | 9010622 | 151 | 9040021 | 180 | 9136177 | 128 |
| 740404 | 132 | 8038401 | 228 | 9011101 | 232 | 9040022 | 180 | 9136178 | 176 |
| 741661 | 132 | 8038801 | 228 | 9011102 | 234 | 9040061 | 180 | 9136179 | 176 |
| 741662 | 132 | 8039001 | 228 | 9011161 | 232 | 9045418 | 226 | 9136182 | 147 |
| 742071 | 173 | 8058001 | 226 | 9011162 | 232 | 9045514 | 226 | 9136183 | 168 |
| 747406 | 142 | 8090801 | 226 | 9011163 | 232 | 9060181 | 72 | 9136184 | 168 |
| 752250 | 212 | 8401030 | 140 | 9011164 | 232 | 9060182 | 72 | 9136185 | 224 |
| 752461 | 176 | 8403622 | 212 | 9018061 | 208 | 9060183 | 72 | 9136186 | 224 |
| 752462 | 176 | 8403624 | 213 | 9018062 | 208 | 9060184 | 74 | 9136187 | 224 |
| 752463 | 176 | 8403626 | 212 | 9019212 | 228 | 9060185 | 74 | 9136188 | 224 |
| 752470 | 140 | 9002601 | 226 | 9019213 | 228 | 9060192 | 80 | 9160081 | 152 |
| 767801 | 172 | 9002840 | 24 | 9020021 | 180 | 9060193 | 80 | 9160101 | 136 |
| 773221 | 150 | 9002841 | 24 | 9020022 | 180 | 9060194 | 84 | 9172870 | 168 |

| code | page | code | page | code | page |
|---------|------|---------|------|---------|------|
| 9176101 | 28 | 9223999 | 134 | 9492560 | 120 |
| 9176102 | 28 | 9226214 | 134 | 9492570 | 130 |
| 9190101 | 112 | 9226215 | 134 | 9492580 | 120 |
| 9192171 | 126 | 9226216 | 134 | 9492590 | 156 |
| 9193101 | 78 | 9226217 | 186 | 9492600 | 126 |
| 9193102 | 78 | 9232115 | 186 | 9492610 | 130 |
| 9195061 | 27 | 9232116 | 186 | 9492620 | 126 |
| 9195062 | 27 | 9223117 | 186 | 9492630 | 131 |
| 9197701 | 82 | 9232118 | 186 | 9492640 | 54 |
| 9197702 | 82 | 9232119 | 186 | 9492650 | 131 |
| 9200201 | 139 | 9232120 | 173 | 9492660 | 208 |
| 9200202 | 139 | 9240672 | 173 | 9492670 | 214 |
| 9200611 | 178 | 9240678 | 173 | 9492680 | 208 |
| 9200612 | 178 | 9240679 | 124 | 9492690 | 204 |
| 9202131 | 118 | 9257871 | 124 | 9492700 | 82 |
| 9202261 | 118 | 9259361 | 124 | 9492710 | 76 |
| 9202262 | 118 | 9262111 | 157 | 9492720 | 76 |
| 9203111 | 228 | 9270015 | 157 | 9492730 | 76 |
| 9203112 | 228 | 9270016 | 156 | 9492740 | 76 |
| 9203113 | 228 | 9270027 | 156 | 9492750 | 82 |
| 9207167 | 47 | 9270028 | 164 | 9492760 | 38 |
| 9207168 | 47 | 9271431 | 164 | 9492770 | 38 |
| 9207615 | 59 | 9271432 | 166 | 9492780 | 182 |
| 9207616 | 58 | 9271433 | 166 | 9521001 | 182 |
| 9207912 | 18 | 9271491 | 164 | 9521002 | 159 |
| 9209211 | 60 | 9271492 | 59 | 9522101 | 159 |
| 9209212 | 60 | 9277151 | 18 | 9522102 | 158 |
| 9220021 | 178 | 9279111 | 18 | 9529712 | 158 |
| 9220022 | 178 | 9279112 | 200 | 9529713 | 158 |
| 9223400 | 201 | 9281380 | 200 | 9529720 | 158 |
| 9223401 | 201 | 9281381 | 20 | 9529721 | 158 |
| 9223403 | 194 | 9291701 | 20 | 9540207 | 100 |
| 9223404 | 194 | 9291702 | 20 | 9540208 | 100 |
| 9223405 | 194 | 9291703 | 20 | 9540209 | 104 |
| 9223406 | 192 | 9292211 | 124 | 9540210 | 106 |
| 9223407 | 192 | 9297191 | 46 | 9540211 | 98 |
| 9223408 | 192 | 9470581 | 102 | 9540212 | 98 |
| 9223409 | 192 | 9470582 | 102 | 9540213 | 98 |
| 9223410 | 192 | 9492441 | 190 | 9540214 | 92 |
| 9223411 | 196 | 9492442 | 82 | 9540215 | 92 |
| 9223412 | 196 | 9492500 | 110 | 9540216 | 92 |
| 9223413 | 196 | 9492510 | 110 | 9540217 | 94 |
| 9223414 | 196 | 9492520 | 110 | 9540218 | 94 |
| 9223415 | 198 | 9492530 | 120 | 9739351 | 96 |
| 9223997 | 198 | 9492540 | 120 | 9739352 | 96 |
| 9223998 | 198 | 9492550 | 156 | 9756500 | 30 |

| | |
|-------------|------------|
| A | |
| 32 | ACQUA |
| 192 | ADAPTOR |
| 12 | ADURO |
| 136 | AGILE |
| 58 | AGOSTO |
| 214 | AIZEN |
| 235 | ALP |
| 44 | APOLLO |
| 124 | ARABELLA |
| 98 | ARAN |
| 214 | ARNE |
| 146 | AZAR |
| B | |
| 114 | BALI |
| 228 | BANG |
| 100 | BARCO |
| 170.192 | BASE |
| 112 | BAY |
| 92 | BEV |
| 186 | BLADE |
| 32 | BLISS |
| 128 | BRICE |
| 214 | BRIGI |
| 48.49 | BRIGITTA |
| 136 | BRIN |
| C | |
| 94 | CAIRO |
| 168 | CALIX |
| 156 | CAPE |
| 128 | CAPO |
| 86 | CARINA |
| 96 | CASTRO |
| 178 | CECI |
| 180 | CERISE |
| 70 | CETERA |
| 124 | CHEZ |
| 224 | CIRCE |
| 196.198.201 | COLT |
| 126 | COMBO |
| 132.135.142 | COMO |
| 232 | CONTROLLER |
| 217 | COVE |
| D | |
| 176 | DARA |
| 138 | DARF |
| 168 | DESTROY |
| 54 | DEVORA |
| 146 | DEWEI |
| 131 | DEWI |
| 228 | DRIVER |
| 159 | DROPLET |
| 112 | DYN |
| E | |
| 22 | ELLERY |
| 104.106 | EMILE |
| 42 | ENZI |
| 144 | EPIC |

| | |
|-----------------|---------|
| 190 | FABIO |
| 126 | FEDOR |
| 164-165 | FEND |
| 74 | FERRON |
| 204 | FIGI |
| 80 | FIGO |
| 210 | FINLO |
| 18.140.176 | FOCUS |
| 102 | FOX |
| 104 | FUENTO |
| 190 | FUMO |
| 122 | FUNGO |
| G | |
| 126 | GOA |
| 100 | GRANTE |
| 140 | GRAVITY |
| I | |
| 170-172 | INSIDE |
| 88 | ISIDORA |
| J | |
| 202 | JIGRA |
| 216 | JOYA |
| K | |
| 152.156.157 | KEEN |
| 166 | KIMIKO |
| 213.220.222.223 | KRYPTON |
| L | |
| 154 | LETO |
| 106.107 | LIDO |
| 151 | LIMBIO |
| 208 | LIV |
| 75 | LOCK |
| 78 | LOEVE |
| 112 | LOVETO |
| 152 | LUPO |
| 213 | LUTON |
| M | |
| 10.11 | MABEL |
| 110 | MARTA |
| 58 | MAX |
| 124 | MILE |
| 118 | MILEY |
| 170 | MINI |
| 14 | MINOT |
| 204 | MOCHA |
| N | |
| 26 | NED |
| 148 | NERO |

| | |
|----------|----------|
| 153 | NOBU |
| 150 | NODUS |
| 173 | NORTH |
| 64 | NOTEN |
| 139 | NUS |
| O | |
| 36 | OFIR |
| 182 | OLIVER |
| 84 | OMIKA |
| 147 | OVI |
| P | |
| 40 | PARK |
| 130 | PARRIS |
| 226 | PASSAGIO |
| 30 | PAX |
| 140 | PIER |
| 38 | POET |
| 24 | PORTAL |
| 42 | POSEN |
| 110 | PRIM |
| 218.219 | PULSAR |
| 120 | PURE |
| 60 | PYRO |
| R | |
| 20 | RAMO |
| 82 | REGINA |
| 208 | RIO |
| 66 | ROCK |
| 200 | ROSE |
| S | |
| 192.194 | SEINA |
| 76 | SELENA |
| 130 | SERIKA |
| 132 | SOHO |
| 82 | SORREN |
| 210 | SOURCE |
| 166 | STAKE |
| 54 | STARK |
| 62 | STICK |
| 56 | STONE |
| 46.47 | SUITE |
| 28 | SURF |
| T | |
| 16. 68 | TALA |
| 14 | TIEN |
| 182 | TOMMY |
| 110 | TRENDO |
| 158 | TUNE |
| 34 | TWIN |
| V | |
| 110 | VALOR |
| 118 | VEIRO |
| 205 | VENEDO |
| 203 | VERHAL |

| | |
|----------|-------------|
| 168 | VIDA |
| 120 | VIDENO |
| 208 | VISION |
| 140 | VITORIA |
| 27 | VOLVEL |
| W | |
| 232.234 | WALL WASHER |
| Z | |
| 134 | ZARI |
| 131 | ZARO |
| 50.52 | ZELDA |
| 160.161 | ZENITH |
| 156 | ZENON |
| 78 | ZEST |
| 120 | ZIRI |
| 72 | ZOSIA |

FOX  **LED**®
ALL YOUR LIGHT

NOVA LUCE
www.novaluce.com